

tousek *Spin*

Automatic
Swing Gate Operators
complex & strong



tousek[®]
AUTOMATIC GATE OPERATORS



*Sliding gate
operators*



*Cantilever sl.
gate sys.*



*Swing gate
operators*



*Garage door
operators*



*Barrier
operators*



El. gate control



*Impulse
emitters*




*Safety
devices*



Miscellaneous

tousek *Spin* – complex and strong




Electromechanical operator for all types of residential swing gates, regardless if they are made of wood, steel or aluminium *Especially suitable for subsequent installation*

With the operators Tousek Turn new and already existing gates can be automated. The easy installation and the easy adaptation to existing and in particular very thick gate columns are the excellent particularities of the swing gate operator Spin.

The operator unit Spin works electromechanically. The arm technology imitates the manual gate movement and therefore provides a very soft operation of the gate and protects the mechanics of the gate and the operator.

*) In order to achieve a fixed locking, it can be necessary, according to the installation situation, to install an electric lock.




- ① swing gate operator Tousek Spin incl. installation material
- ② control
- ③ flashing light
- ④ key switch
- ⑤ photocells
- ⑥ floor stop in closed gate position



Limit switches

As a standard the Spin is equipped with limit switches for the open and closed position.



Soft stop

Spin, in combination with the control unit ST50, closes the gate very silently and softly.



Easy installation

An extremely stable installation angle and very flexible mounting measurements contribute to save time. All necessary mounting material is part of the delivery. The Spin is available for left side hinge-mounted and right side hinge-mounted gates.



Emergency release lock

The Spin reliably blocks the gate. In the event of a power failure this lock can be released and enables the opening and the closing of the gate by hand.




Powerful

The powerful gear guarantees together with the massive aluminium casing a long useful life. All toothed wheels are made of metal and all axles are resting on ball bearings.



The control

The technically innovative ST 12/4 microprocessor control was especially developed for the Spin electromechanic swing gate operators. This brand-new type of control unit regulates all functional procedures; it features numerous connecting options, e.g. for radio, code transmitter, sensor for the intercom unit and, of course, for all regular door-security systems.



Dual-line display

All functions e.g. impulse/automatic operation, partial opening, gentle stop and many more can be easily set and adjusted to every gate by using the easily accessible sensor with its English-language plaintext menu.



Designation	SPIN
Max gate panel weight	200kg
Max gate panel width	2,5m
Max torque	400Nm
Integrated limit switches	yes
Speed of rotation	max 9°/sec
Max opening angel	120°
Cycles/day	20/day
Motor voltage	230V+/-10%

Please check the technical data sheets for more detailed information.

Note: Please be aware that the gate-security devices shown in this brochure are examples and are not to be considered as guidelines with regard to applicable standards. The standards in effect in each country must be complied without fail during start-up and/or installation.

www.tousek.com



Eduard Tousek

tousek PRODUCTS

- Sliding-gate operators ▲
- Swing-gate operators ▲
- Garage-door operators ▲
- Folding-gate operators ▲
- Barriers ▲
- Parking systems ▲
- Window operators ▲
- Domelight operators ▲
- Door operators ▲
- Electronic controls ▲
- Radio remote controls ▲
- Key switches ▲
- Access control ▲
- Security devices ▲
- Accessories ▲

tousek Ges.m.b.H.

A-1230 Wien, Zetschegasse 1
Tel: +43/ 1/ 667 36 01
Fax: +43/ 1/ 667 89 23
Email: info@tousek.at

tousek GmbH

D-83395 Freilassing
Traunsteiner Straße 12
Tel: +49/ 8654/ 77 66 - 0
Fax: +49/ 8654/ 57 196
Email: info@tousek.de

tousek Sp. z o.o.

PL-43-190 Mikołów (k/Katowice)
Wyzwolenia 27
Tel: +48/ 32/ 738 53 65
Fax: +48/ 32/ 738 53 66
Email: info@tousek.pl

tousek s.r.o.

CZ-130 00 Praha 3, Jagellonská 9
Tel: +420/ 222 090 980
Fax: +420/ 222 090 989
Email: info@tousek.cz

For many years now,

we have been working on developing gate operators and their accessories at the forefront in the international field. Expertly trained employees and comprehensive service are two of the factors in satisfying customers' wishes.



tousek - the original

The Original tousek Quality certificate is your absolute guarantee of the highest quality when you purchase a tousek operator.



Reliable and secure

Tousek's leading technical development, including the Rolling Code Radio System, for instance, which generates a new radio code every time the remote control is activated, thus preventing the radio signal from being scanned by unauthorised persons, is your guarantee of greater security, in demand today as part of seamlessly protecting property. The quality of tousek products is guaranteed by the most stringent tolerances in manufacture and constant monitoring.

Compatibility

Tousek places great emphasis on keeping all elements of the gate operator, accessory and security programmes compatible as the assortment of products grows.



tousek
AUTOMATIC GATE OPERATORS

www.tousek.com

Your tousek partners will be happy to advise you personally.



tousek garage doors operators
convenient and safe



tousek barrier systems
attractive and robust



tousek sliding-gate operators
compact and safe



tousek impulse emitter
programmes
compatible and secure



www.tousek.com

Visit our website for more
important information all
about automatic operators.